





Soffit Profiles & Panels

- Profile AP22/50S an economic yet stylish symmetrical profile
- Slimwall flat panel with joints from 3mm to 20mm subject to panel type (ALU only)
 - o Secret-Fix: Slimwall SFP24-S modules 125mm to 300mm, joint 5mm to 20mm
 - o Secret-Fix: Slimwall SF42-S modules 200mm to 580mm, joint 5mm to 20mm
 - o Discreet-Fix: Slimwall CPS-SSF-S modules 250mm to 1000mm, joint 20mm
- All system components as non-combustible
- Matching roof and wall systems available (specified separately).
- Available in aluminium, steel and Cor-Ten with a wide range of coatings and colours
- A1 fire-rated coatings available
- Available in PPC, Armacoil™ HDP, anodized, PUF, Stucco-Embossed Mill-Finish (SEMF) & Smooth Mill Finish (MF).
- Available with coating warranties up to 40 years including in marine environments.
- Available as Airwall™ perforated

.




Slimwall SFP24-S; module 125mm to 300mm



Slimwall SFP42-S; module 200mm to 600mm



Slimwall CPS-SSF-S; module 250mm to 1000mm









- Specialists in complete NON-COMBUSTIBLE "through-wall" and "through-roof" systems
- · Established for nearly 40 years
- All systems and constructions fire-tested
- · Specified by the UK's leading Architects and Designers
- Chosen by the UK's leading contractors and installers
- Provider of Cladshield a 25-year fully-installed system warranty
- 55,000 sqft UK manufacturing facility
- Established members of the MCRMA & CWCT
- ISO:9001 & ISO:14001 registered

CUSTOM BESPOKE PANELS & PROFILES • STRONGBAK • MINERAL WOOL COMPOSITE ROOF & WALL PANELS LOUVRE PROFILE & LIVE LOUVRES • RAINSCREEN & FLAT PANELS • WALL & ROOF PROFILES • APL SNAPLOC & STANDING SEAM • SOFFITS • ARCHITECTURAL FLASHINGS • FLAT ROOF STRUCTURAL DECKINGS















Non-combustible system 25

25 year fully installed system warranty